

	RFP Detect +J23110 Detect	GFP Detect +J23110 Detect	RFP Detect+GFP Detect	VF2+VR				
	425	438	863	4.4K				
RESET1	bright, 700, 800nonspecific amplicationlight	light, 600nonspecific amplicationbright	light, 600nonspecific amplicationbright, 1000nonspecific amplicationlight					
RESET2	bright, 700nonspecific amplication多	bright, 600nonspecific amplicationbright	700, bright					
RESET3	bright, 700, 800nonspecific amplicationlight	light, 600nonspecific amplicationbright	light, 600nonspecific amplicationbright, 1000nonspecific amplicationlight					
RESET4	bright, 700, 800nonspecific amplicationlight	light, 600nonspecific amplicationbright	light, 600nonspecific amplicationbright, 1000nonspecific amplicationlight					
RESET5	bright, 无 nonspecific amplication	bright, 600nonspecific amplicationbright	bright, 600nonspecific amplicationbright, 1000nonspecific amplicationlight					
RESET6	bright	bright, 600nonspecific amplication bright	bright, 600nonspecific amplicationbright, 1000nonspecific amplicationlight					
RESET7	bright, 700, 800nonspecific amplicationlight	bright, 600nonspecific amplicationbright	bright, 600nonspecific amplicationbright, 1000nonspecific amplicationlight					
RESET8	bright, 700, 800nonspecific amplicationlight	bright, 600nonspecific amplicationbright	bright, 600nonspecific amplicationbright, 1000nonspecific amplicationlight					
RESET9	bright, 700nonspecific amplicationlight	bright, 600nonspecific amplication更 bright	bright, 600nonspecific amplicationbright, 1000nonspecific amplicationlight					
RESET10	bright, 700, 800nonspecific amplicationlight	bright, 600nonspecific amplication更 bright	bright, 600nonspecific amplicationbright, 1000nonspecific amplicationlight					
	2325	438	2763	6.3K				
SUPPORT DEVICE-S1	400 bright, 750 light	400bright, 600bright	2000light, 800bright, 600 bright					
SUPPORT DEVICE-S2	400 bright, 750light	400bright, 600bright	2000light, 800bright, 600 bright					
SUPPORT DEVICE-S3	400light, 750light	400bright, 600bright	2000 light, 800bright, 600 bright					
SUPPORT DEVICE-S4	400 bright, 750light	400bright, 600bright	2000 light, 800 bright, 600 bright					
SUPPORT DEVICE-S5	400light, 750light	400light, 600 bright	2000 light, 800bright, 600 bright					
SUPPORT DEVICE-S6	400light, 750light	400light, 600 bright	2000light, 800light, 600 bright					
SUPPORT DEVICE-S7	400 bright, 750light	400bright, 600 bright	2000light, 800bright, 600 bright					
SUPPORT DEVICE-S8	400light, 750light	400light, 600 bright	2000light, 600 bright					
SUPPORT DEVICE-S9	400 bright, 750light	400bright, 600 bright	2000light, 800bright, 600 bright					
SUPPORT DEVICE-S10	400 bright, 750light	400bright, 600 bright	2000light, 800bright, 600 bright					
	2325	438	2763	6.3K				
SUPPORT DEVICE-L1	400, 600, 700nonspecific amplication, light	, 500nonspecific amplicationbright	600bright, 2000light					
SUPPORT DEVICE-L2	400, 600, 700nonspecific amplication, light	none, 500nonspecific amplicationlight	2000light					
SUPPORT DEVICE-L3	400, 600, 700nonspecific amplication, light	, 500nonspecific amplicationbright	600bright, 2000light					
SUPPORT DEVICE-L4	400, 600, 700nonspecific amplication, light	, 500nonspecific amplicationbright	600bright, 2000light					
SUPPORT DEVICE-L5	400, 600, 700nonspecific amplication, light	, 500nonspecific amplicationbright	600bright, 2000light					
SUPPORT DEVICE-L6	500bright, 600light	bright, 600nonspecific amplication bright	2000, 750light, 600nonspecific amplication bright					
SUPPORT DEVICE-L7	500, 600light	bright, 600nonspecific amplication bright	750light, 600nonspecific amplication bright					
SUPPORT DEVICE-L8	500, 600light	bright, 600nonspecific amplication bright	750light, 600nonspecific amplication bright					
SUPPORT DEVICE-L9								
SUPPORT DEVICE-L10								

	VF2+VR	lacHL+lacHR		
	3.4K	3.1K		
SOCKET1	600 light			
SOCKET2	600 light			
SOCKET3	250 bright			
SOCKET4	250 light			
SOCKET5	250 light			
SOCKET6	none	bright		
SOCKET7	none	light		
SOCKET8	250 bright			
SOCKET9				
SOCKET10				
	3.1K	2.8K		
INT-B0031 1	250light			
INT-B0031 2	250light			
INT-B0031 3	250light			
INT-B0031 4	600light			
INT-B0031 5	250light			
INT-B0031 6	250light			
INT-B0031 7	none			
INT-B0031 8	250light			
INT-B0031 9	250 bright			
INT-B0031 10	250light			
	3.1K	2.8K		
INT-B0034 1	500light, 250light	bright		
INT-B0034 2	500 light, 250light	light		
INT-B0034 3	500 light, 250light	light		
INT-B0034 4	250light			
INT-B0034 5	250light			
INT-B0034 6	250light			
INT-B0034 7	250light			
INT-B0034 8	250light			
INT-B0034 9	500light			
INT-B0034 10	250light			
	3.1K	2.8K		
INT-6N 1	250bright, 1000 light			
INT-6N 2	250light, 1500light			
INT-6N 3	250light, 1500light			
INT-6N 4	250bright			
INT-6N 5				
INT-6N 6				
INT-6N 7				
INT-6N 8				
INT-6N 9				
INT-6N 10				
	3.5K	3.2K		
REINT-6N 1	WRONG			
REINT-6N 2				
REINT-6N 3				
REINT-6N 4				
REINT-6N 5				
REINT-6N 6				
REINT-6N 7				
REINT-6N 8				
REINT-6N 9				
REINT-6N 10				
	2.7K	2.35K		
SINGLE 1	250bright		AGAIN	
SINGLE 2	250bright			
SINGLE 3	250bright			
SINGLE 4	1200 bright, 1500light			
SINGLE 5	250bright			
SINGLE 6	250bright			
SINGLE 7	250bright			
SINGLE 8	1200 bright			
SINGLE 9	250bright			
SINGLE 10	250bright			
	3K	2.7K		
DOUBLE 1		bright		
DOUBLE 2		bright		
DOUBLE 3		bright		
DOUBLE 4		bright		
DOUBLE 5		bright		
DOUBLE 6		bright		
DOUBLE 7		bright		
DOUBLE 8		bright		
DOUBLE 9		bright		
DOUBLE 10				

		GFP-detect/RFP-detect	GFP-detect/J23110-detect	RFP-detect/J23110-detect	VF2/VR		来源
RESET	1W		bright, nonspecific amplication	很bright			9.29 CF
RESET	3R		light, nonspecific amplicationbright	light			9.29 CF
RESET	4R		light, nonspecific amplicationbright	light			9.29 CF
RESET	5R	none	bright	light	1.5k		9.29 CF
RESET	6R	none	bright	light	1.5k		9.29 CF
RESET	7R		bright, nonspecific amplicationbright	light			9.29 CF
RESET	8R	none	bright, nonspecific amplicationlight	light, nonspecific amplicationlight	2k		9.29 CF
RESET	9R	none	bright, nonspecific amplicationbright	light	1.5k		9.29 CF
RESET	10R	none	bright, nonspecific amplication bright	bright	1.5k		9.29 CF
RESET	11R		bright, nonspecific amplicationbright	light			9.29 CF
RESET	12R		bright, nonspecific amplicationbright	light			9.29 CF
RESET	13R	none	bright, nonspecific amplicationbright	light	1.5k		9.29 CF
RESET	15W	none	light, nonspecific amplicationbright	bright	none-load		9.29 CF
RESET	16R		light, nonspecific amplicationbright	light			9.29 CF
RESET	17R	none	bright	light	1.5k		9.29 CF
RESET	18R		light, nonspecific amplicationbright	light			9.29 CF
RESET	19R	none	bright	light, nonspecific amplicationlight	none-load		9.29 CF
RESET	20R		bright	bright			9.29 CF
SET	1W		bright	bright, nonspecific amplicationlight			9.29 CF
SET	9W		bright, nonspecific amplication bright	bright			9.29 CF
SET	12W	none	light, nonspecific amplicationbright	bright, nonspecific amplicationlight	ok		9.29 CF
SET	16W	none	light, nonspecific amplicationbright	bright, nonspecific amplicationlight	none-load		9.29 CF
SET	17W		bright, nonspecific amplication bright	bright, nonspecific amplicationlight			9.29 CF
SET	18W	none	light, nonspecific amplicationbright	bright, nonspecific amplicationlight	ok		9.29 CF
SET	20W		bright, nonspecific amplication bright	bright, nonspecific amplicationlight			9.29 CF
SET	23W		超bright	-			9.29 CF
SET	24W	none	light, nonspecific amplicationbright	bright, nonspecific amplicationlight	none-load		9.29 CF
SET	27W	none	light, nonspecific amplicationbright	bright, nonspecific amplicationlight	light		9.29 CF
SET	28W	none	bright, nonspecific amplicationbright	bright, nonspecific amplicationlight	ok		9.29 CF
SET	30W	none	light, nonspecific amplicationbright	bright, nonspecific amplicationlight	1Knonspecific amplication bright		9.29 CF
SET	31W		bright	bright, nonspecific amplicationlight			9.29 CF
SET	32W		bright	bright, nonspecific amplicationlight			9.29 CF
RESET	14W		bright, nonspecific amplicationlight	bright, nonspecific amplication light			9.29 CF
SET	2W		bright, nonspecific amplicationlight	bright, nonspecific amplication light			9.29 CF
SET	3W		bright, nonspecific amplicationbright	bright, nonspecific amplication light			9.29 CF
SET	4W	ok	light, nonspecific amplicationbright	bright, nonspecific amplication light	ok		9.29 CF
SET	5W	ok	light, nonspecific amplicationbright	bright, nonspecific amplication light	ok		9.29 CF
SET	6W	ok	light, nonspecific amplicationbright	bright, nonspecific amplication light	ok		9.29 CF
SET	8W	ok	light, nonspecific amplicationbright	bright, nonspecific amplication light	ok		9.29 CF
SET	10W		bright, nonspecific amplicationbright	bright, nonspecific amplication light			9.29 CF
SET	11W	ok	light, nonspecific amplicationbright	bright, nonspecific amplicationlight	ok		9.29 CF
SET	13W	ok	light, nonspecific amplicationbright	bright, nonspecific amplicationlight	ok		9.29 CF
SET	14W	ok	light, nonspecific amplicationbright	bright, nonspecific amplicationlight	ok		9.29 CF
SET	15W		bright, nonspecific amplication bright	bright, nonspecific amplicationlight			9.29 CF
SET	21W		bright, nonspecific amplicationbright	bright, nonspecific amplicationlight			9.29 CF
SET	22W		bright	bright, nonspecific amplication light			9.29 CF
SET	25W		bright	bright, nonspecific amplicationlight			9.29 CF
SET	26W	ok	light, nonspecific amplicationbright	bright, nonspecific amplicationlight	ok		9.29 CF
SET	29W	ok	light, nonspecific amplicationbright	超bright	ok		9.29 CF
SET	33W		超bright	超bright			9.29 CF